

onassis™

QUALITY IN PERFECTION



LEADING **IN SMARTLOCK**

#1 SMARTLOCK IN INDONESIA



Unlock the Future with Onassis: Indonesia's Leading Smart Lock Brand, where Security Meets Innovation. With a passion for delivering exceptional security solutions, Onassis is dedicated to providing cutting-edge smart lock technology that combines style, convenience, and unparalleled protection for your home and business.

Advance Germanic Technologica

Experience the best of European innovation with our smart lock, engineered with precision Advance Germanic Technologica. Featuring advanced biometric authentication, including face recognition and palm fingerprint scanning, our intelligent lock provides unparalleled protection and convenience. Sleek, modern, and built to last, our Germanic-engineered smart lock is the ultimate solution for discerning homeowners.

Indonesia's No. 1 Smart Lock Brand

Experience the best of smart lock technology with Onassis, Indonesia's leading brand with over 50 products to choose from. Secure, convenient, and stylish, Onassis is the perfect solution for your security needs.

3
YEARS

**ELECTRONICAL
WARRANTY**

**LIFE
TIME**

**MECHANICAL
WARRANTY**

Experience Unmatched Peace of Mind with Onassis Smart Locks! We stand behind the quality of our products with a comprehensive warranty program: 3 Years Electronic Warranty, covering all electronic components, and Lifetime Mechanical Warranty, ensuring the mechanical integrity of our locks for as long as you own them. With Onassis, you can trust that your security is backed by a commitment to excellence and a promise of long-lasting performance.

Get the APP "Onassis Smart"



DG/VGT V80 PRO

onassis™
QUALITY IN PERFECTION

3 YEARS
ELECTRONICAL
WARRANTY

LIFE TIME
MECHANICAL
WARRANTY



Features

Two Way Audio One Way Video Call

Face recognition height	: 1m - 2.3m
Face recognition distance	: 0.35m - 1.2m
Recognition speed	: 2 Sec
Power Supply	: DC 7.4 V Lithium battery
Working temperature	: 20°C - 60°C
Relative Humidity	: 20%RH - 93%RH
Network	: Wi-fi 2.4 Ghz
App	: Onassis Smart, Smart life & Tuya
Mortise cycle test	: 300.000 times
Mortise backset	: 60 mm

Material

Aluminium Alloy & Glass

User Capacity

200 users



Apps



Card



Password



Finger Print



Manual Key



Smart Home
Integrated



Remote
Unlock Apps



Emergency
Power Bank
Supply





Face
Recognition



Door
Viewer



Two way
audio one way
video call



DG/ONS P15 PRO

onassis™
QUALITY IN PERFECTION

3 YEARS
ELECTRONICAL
WARRANTY

LIFE TIME
MECHANICAL
WARRANTY

Features

Two Way Audio One Way Video Call

Face recognition height	: 1m - 2.3m
Face recognition distance	: 0.35m - 1.2m
Recognition speed	: 2 Sec
Power Supply	: DC 7.4 V Lithium battery
Working temperature	: 20°C - 60°C
Relative Humidity	: 20%RH - 93%RH
Network	: Wi-fi 2.4 Ghz
App	: Onassis Smart, Smart life & Tuya
Mortise cycle test	: 300.000 times
Mortise backset	: 60 mm

Material

Aluminium Alloy & ABS

User Capacity

200 users



Apps



Card



Password



Manual Key



Finger Vein



Smart Home
Integrated



Remote
Unlock Apps



Emergency
Power Bank
Supply




Face
Recognition



Door
Viewer




Two way
audio one way
video call



395 mm

78 mm

78 mm



175 mm

70 mm

240 mm

91 mm

24 mm



DG/ONS P12 PRO

onassis™
QUALITY IN PERFECTION

3 YEARS
ELECTRONICAL
WARRANTY

LIFE TIME
MECHANICAL
WARRANTY

Features

Two Way Audio One Way Video Call

Face recognition height	: 1m - 2.3m
Face recognition distance	: 0.35m - 1.2m
Recognition speed	: 2 Sec
Power Supply	: DC 7.4 V Lithium battery
Working temperature	: 20°C - 60°C
Relative Humidity	: 20%RH - 93%RH
Network	: Wi-fi 2.4 Ghz
App	: Onassis Smart, Smart life & Tuya
Mortise cycle test	: 300.000 times
Mortise Backset	: 60 mm

Material

Aluminium Alloy & ABS

User Capacity

200 users



Apps



Card



Password



Finger Print



Manual Key



Smart Home
Integrated



Remote
Unlock Apps



Emergency
Power Bank
Supply



Face
Recognition





Door
Viewer



Two way
audio one way
video call



Palm
Reader



DG/ONS P11 PRO

onassis™
QUALITY IN PERFECTION

3 YEARS
ELECTRONICAL
WARRANTY

LIFE TIME
MECHANICAL
WARRANTY



Features

Two Way Audio One Way Video Call

Face recognition height	: 1m - 2.3m
Face recognition distance	: 0.35m - 1.2m
Recognition speed	: 2 Sec
Power Supply	: DC 7.4 V Lithium battery
Working temperature	: 20°C - 60°C
Relative Humidity	: 20%RH - 93%RH
Network	: Wi-fi 2.4 Ghz
App	: Onassis Smart, Smart life & Tuya
Mortise cycle test	: 300.000 times
Mortise Backset	: 60 mm

Material

Aluminium Alloy & Glass

User Capacity

200 users



Apps



Card



Password



Finger Print



Manual Key



Smart Home
Integrated



Remote
Unlock Apps




Emergency
Power Bank
Supply



Door
Viewer



Two way
audio one way
video call



DG/ONS X90 PRO CAM

onassis™
QUALITY IN PERFECTION

3 YEARS
ELECTRONICAL
WARRANTY

LIFE TIME
MECHANICAL
WARRANTY

Features

Two Way Audio One Way Video Call

Face recognition height	: 1m - 2.3m
Face recognition distance	: 0.35m - 1.2m
Recognition speed	: 2 Sec
Power Supply	: DC 7.4 V Lithium battery
Working temperature	: 20°C - 60°C
Relative Humidity	: 20%RH - 93%RH
Network	: Wi-fi 2.4 Ghz
App	: Onassis Smart, Smart life & Tuya
Mortise cycle test	: 300.000 times
Mortise Backset	: 60 mm

Material

Aluminium Alloy & ABS

User Capacity

200 users



Apps



Card



Password



Finger Print



Manual Key



Smart Home
Integrated



Remote
Unlock Apps



Emergency
Power Bank
Supply




Face
Recognition



Door
Viewer




Two way
audio one way
video call




420 mm

68 mm



420 mm

68 mm



DG/ONS X90 PRO

onassis™
QUALITY IN PERFECTION

3 YEARS
ELECTRONICAL
WARRANTY

LIFE TIME
MECHANICAL
WARRANTY

Features

Power Supply	: 4 pcs AA Alkaline 1,5 v dry cell
Working temperature	: 20°C - 60°C
Relative Humidity	: 20%RH - 93%RH
Network	: Wi-fi 2.4 Ghz
App	: Onassis Smart, Smart life & Tuya
Mortise cycle test	: 300.000 times
Mortise Backset	: 60 mm

Material

Aluminium Alloy & ABS

User Capacity

200 users



Apps



Card



Password



Finger Print



Manual Key




Smart Home
Integrated




Remote
Unlock Apps



Emergency
Power Bank
Supply



420 mm



240 mm

24 mm



DG/ONS K11 PRO

onassis™
QUALITY IN PERFECTION

3 YEARS
ELECTRONICAL
WARRANTY

LIFE TIME
MECHANICAL
WARRANTY

Features

Two Way Audio One Way Video Call

Face recognition height	: 1m - 2.3m
Face recognition distance	: 0.35m - 1.2m
Recognition speed	: 2 Sec
Power Supply	: DC 7.4 V Lithium battery
Working temperature	: 20°C - 60°C
Relative Humidity	: 20%RH - 93%RH
Network	: Wi-fi 2.4 Ghz
App	: Onassis Smart, Smart life & Tuya
Mortise cycle test	: 300.000 times
Mortise backset	: 60 mm

Material

Aluminium Alloy & ABS

User Capacity

300 users



Apps



Card



Password



Manual Key



Finger Vein



Smart Home
Integrated



Remote
Unlock Apps



Emergency
Power Bank
Supply





Face
Recognition



Door
Viewer



Two way
audio one way
video call



DG/ONS K12 PRO

onassis™
QUALITY IN PERFECTION

3 YEARS
ELECTRONICAL
WARRANTY

LIFE TIME
MECHANICAL
WARRANTY



Features

Two Way Audio One Way Video Call

Face recognition height	: 1m - 2.3m
Face recognition distance	: 0.35m - 1.2m
Recognition speed	: 2 Sec
Power Supply	: DC 7.4 V Lithium battery
Working temperature	: 20°C - 60°C
Relative Humidity	: 20%RH - 93%RH
Network	: Wi-fi 2.4 Ghz
App	: Onassis Smart, Smart life & Tuya
Mortise cycle test	: 300.000 times
Mortise backset	: 60 mm

Material

Aluminium Alloy, ABS & Acrylic

User Capacity

200 users



Apps



Card



Password



Finger Print



Manual Key



Smart Home
Integrated



Remote
Unlock Apps



Emergency
Power Bank
Supply





Face
Recognition



Door
Viewer



Two way
audio one way
video call



Lockcase Thickness: 19 mm



DG/BLC SYN-50 PRO

Bellucci
KUAT DAN AWET

3 YEARS
ELECTRONICAL
WARRANTY

LIFE TIME
MECHANICAL
WARRANTY



Features

Two Way Audio One Way Video Call

Face recognition height	: 1m - 2.3m
Face recognition distance	: 0.35m - 1.2m
Recognition speed	: 2 Sec
Power Supply	: DC 7.4 V Lithium battery
Working temperature	: 20°C - 60°C
Relative Humidity	: 20%RH - 93%RH
Network	: Wi-fi 2.4 Ghz
App	: Onassis Smart, Smart life & Tuya
Mortise cycle test	: 300.000 times
Mortise backset	: 60 mm

Material

Aluminium Alloy & Acrylic

User Capacity

face : 50 User , Fingerprint : 99 User , Password & Card : 100 User



Apps



Card



Password



Finger Print



Manual Key



Smart Home
Integrated



Remote
Unlock Apps



Emergency
Power Bank
Supply




Face
Recognition




Door
Viewer



Two way
audio one way
video call



Outdoor Panel Thickness: 6 cm
Indoor Panel Thickness : 4 cm



BLCX SYN 60



Features

Two Way Audio One Way Video Call

Face recognition height	: 1m - 2.3m
Face recognition distance	: 0.35m - 1.2m
Recognition speed	: 2 Sec
Power Supply	: DC 7.4 V Lithium battery
Working temperature	: 20°C - 60°C
Relative Humidity	: 20%RH - 93%RH
Network	: Wi-fi 2.4 Ghz
App	: Onassis Smart, Smart life & Tuya
Mortise cycle test	: 300.000 times
Mortise Backset	: 60 mm

Material

Aluminium Alloy & Acrylic

User Capacity

200 users



Apps



Card



Password



Finger Print



Manual Key



Smart Home Integrated



Remote Unlock Apps



Emergency Power Bank Supply



Face Recognition




Door Viewer



Two way audio one way video call



Palm Reader



DG/ONS X7 PRO

onassis™
QUALITY IN PERFECTION

3 YEARS
ELECTRONICAL WARRANTY

LIFE TIME
MECHANICAL WARRANTY



Features

Two Way Audio One Way Video Call

Face recognition height	: 1m - 2.3m
Face recognition distance	: 0.35m - 1.2m
Recognition speed	: 2 Sec
Power Supply	: DC 7.4 V Lithium battery
Working temperature	: 20°C - 60°C
Relative Humidity	: 20%RH - 93%RH
Network	: Wi-fi 2.4 Ghz
App	: Onassis Smart, Smart life & Tuya
Mortise cycle test	: 300.000 times
Mortise backset	: 60 mm

Material

Aluminium Alloy & Glass

User Capacity

200 users



Apps



Card



Password



Finger Print



Manual Key



Smart Home Integrated



Remote Unlock Apps



Emergency Power Bank Supply





Face Recognition



Door Viewer



Two way audio one way video call



DG/ONS X6 PRO

onassis™
QUALITY IN PERFECTION

3 YEARS
ELECTRONICAL
WARRANTY

LIFE TIME
MECHANICAL
WARRANTY



Features

Two Way Audio One Way Video Call

Face recognition height	: 1m - 2.3m
Face recognition distance	: 0.35m - 1.2m
Recognition speed	: 2 Sec
Power Supply	: DC 7.4 V Lithium battery
Working temperature	: 20°C - 60°C
Relative Humidity	: 20%RH - 93%RH
Network	: Wi-fi 2.4 Ghz
App	: Onassis Smart, Smart life & Tuya
Mortise cycle test	: 300.000 times
Mortise backset	: 60 mm

Material

Aluminium Alloy

User Capacity

200 users



Apps



Card



Password



Finger Print



Manual Key



Smart Home
Integrated



Remote
Unlock Apps



Emergency
Power Bank
Supply





Face
Recognition



Door
Viewer



Two way
audio one way
video call



DG/ONS X5 PRO

onassis™
QUALITY IN PERFECTION

3 YEARS
ELECTRONICAL
WARRANTY

LIFE TIME
MECHANICAL
WARRANTY

Features

Power Supply	: DC 7.4 V Lithium battery
Typical quiescent current	: < 80 Micro
Power supply current	: < 800 mA
Dynamic flow	: <450 mA
Refusing to be true	: 0,15 %
False rate	: Les than 0.00004%
Working temperature	: 20°C - 60°C
Relative Humidity	: 20% - 93%
Network	: Wi-fi 2.4 Ghz
App	: Onassis Smart, Smart life & Tuya
Mortise cycle test	: 300.000 times
Mortise backset	: 60 mm

Material

Aluminium Alloy & Acrylic

User Capacity

300 User



Apps



Card



Password



Finger Print



Manual Key



Smart Home
Integrated




Remote
Unlock Apps




Emergency
Power Bank
Supply



Door
Viewer




7.3 cm



7.5 cm

44.5 cm



Lockcase Thickness: 19 mm



DG/ONS T62 PRO

onassis™
QUALITY IN PERFECTION

3 YEARS
ELECTRONICAL
WARRANTY

LIFE TIME
MECHANICAL
WARRANTY

Features

Power Supply	: 8 pcs AA Alkaline 1,5 v dry cell
Typical quiescent current	: < 75 A
Power supply current	: < 25 mA
Refusing to be true	: Less than 0.01 %
False rate	: Less than 0.001%
Working temperature	: -20°C - 55°C
Relative Humidity	: 20% - 90%
Network	: Wi-fi 2.4 Ghz
App	: Onassis Smart, Smart life & Tuya
Mortise cycle test	: 300.000 times
Mortise backset	: 60 mm

Material

Aluminium Alloy & Glass

User Capacity

Finger/Password/Card : 300 users



Apps



Card



Password



Finger Print



Manual Key



Smart Home
Integrated



Remote
Unlock Apps





Emergency
Power Bank
Supply



Door
Viewer



Pass Away



DG/ONS T61 PRO

onassis™
QUALITY IN PERFECTION

3 YEARS
ELECTRONICAL
WARRANTY

LIFE TIME
MECHANICAL
WARRANTY



Features

Power Supply	: 4 pcs AA Alkaline 1,5 v dry cell
Typical quiescent current	: < 75 A
Power supply current	: < 25 mA
Refusing to be true	: Less than 0.01 %
False rate	: Less than 0.001%
Working temperature	: -20°C - 55°C
Relative Humidity	: 20% - 90%
Network	: Wi-fi 2.4 Ghz
App	: Onassis Smart, Smart life & Tuya
Mortise cycle test	: 300.000 times
Mortise backset	: 60 mm

Material

Aluminium Alloy & Glass

User Capacity

Finger/Password/Card : 200 users



Apps



Card



Password



Finger Print



Manual Key



Smart Home
Integrated





Remote
Unlock Apps



Emergency
Power Bank
Supply



Pass Away



DG/ONS K6 PRO

onassis™
QUALITY IN PERFECTION

3 YEARS
ELECTRONICAL
WARRANTY

LIFE TIME
MECHANICAL
WARRANTY

Features

Power Supply	: 4 pcs AA Alkaline 1,5 v dry cell
Typical quiescent current	: < 40 micro
Power supply current	: < 250 mA
Refusing to be true	: Less than 1 %
False rate	: Less than 0.001%
Working temperature	: -20°C - 55°C
Relative Humidity	: 20%RH - 93%RH
Network	: Wi-fi 2.4 Ghz
App	: Onassis Smart, Smart life & Tuya
Mortise cycle test	: 300.000 times
Mortise Backset	: 60 mm

Material

Aluminium Alloy & ABS

User Capacity

Finger/Password/Card : 125 users



Apps



Card



Password



Finger Print



Manual Key



Smart Home
Integrated




Remote
Unlock Apps



Emergency
Power Bank
Supply



Pass Away



DG/ONS K91 PRO

onassis™
QUALITY IN PERFECTION

3 YEARS
ELECTRONICAL
WARRANTY

LIFE TIME
MECHANICAL
WARRANTY

Features

Power Supply	: 4 pcs AA Alkaline 1,5 v dry cell
standby current	: 30 uA
Working current	: 250 mA
Supply voltage	: 7.4 V
Working temperature	: -20°C - 55°C
Network	: Wi-fi
App	: Onassis Smart, Smart life & Tuya
Mortise cycle test	: 300.000 times
Mortise Backset	: 50 mm

Material

Aluminium Alloy & Acrylic

User Capacity

300 user



Apps



Card



Password



Finger Print



Manual Key



Smart Home
Integrated





Remote
Unlock Apps



Emergency
Power Bank
Supply



Two way
audio one way
video call



DG/BLC

B9 PRO

Bellucci
KUAT DAN AWET

3 YEARS
ELECTRONICAL
WARRANTY

LIFE TIME
MECHANICAL
WARRANTY

Features

Power Supply	: 4 pcs AA Alkaline 1,5 v dry cell
standby current	: 30 uA
Working current	: 250 mA
Supply voltage	: 7.4 V
Working temperature	: -20°C - 55°C
Network	: Wi-fi
App	: Onassis Smart, Smart life & Tuya
Mortise cycle test	: 300.000 times
Mortise Backset	: 60 mm

Material

Zinc Alloy & ABS

User Capacity

Finger/Password/Card : 300 users



Apps



Card



Password



Finger Print



Manual Key



Smart Home
Integrated



Remote
Unlock Apps





Emergency
Power Bank
Supply



9 languages
Voice



Pass Away



DG/BLC B8 PRO

Bellucci
KUAT DAN AWET

3 YEARS
ELECTRONICAL
WARRANTY

LIFE TIME
MECHANICAL
WARRANTY

Features

Power Supply	: 4 pcs AA Alkaline 1,5 v dry cell
Typical quiescent current	: < 40 A
Power supply current	: < 250 mA
Refusing to be true	: Less than 0,15 %
False rate	: Less than 0.001%
Working temperature	: -20°C - 60°C
Relative Humidity	: 20%RH - 93%RH
Network	: Wi-fi
App	: Onassis Smart, Smart life & Tuya
Mortise cycle test	: 300.000 times
Mortise Backset	: 50 mm

Material

Aluminium Alloy & Acrylic

User Capacity

250 User



Apps



Card



Password



Finger Print



Manual Key



Smart Home
Integrated




Remote
Unlock Apps




Emergency
Power Bank
Supply



Pass Away



70 mm
Bellucci



DG/ONS T1 PRO

onassis™
QUALITY IN PERFECTION

3 YEARS
ELECTRONICAL
WARRANTY

LIFE TIME
MECHANICAL
WARRANTY



Features


Power Supply	: 4 pcs AA Alkaline 1,5 v dry cell
Typical quiescent current	: < 40 A
Power supply current	: < 250 mA
Refusing to be true	: Less than 0,15 %
False rate	: Less than 0.001%
Working temperature	: -20°C - 60°C
Relative Humidity	: 20%RH - 93%RH
Network	: Wi-fi
App	: Onassis Smart, Smart life & Tuya
Mortise cycle test	: 300.000 times
Mortise Backset	: 50 mm

Material

Aluminium Alloy & Acrylic

User Capacity

250 User



Apps



Card



Password



Finger Print



Manual Key



Smart Home
Integrated




Remote
Unlock Apps



Emergency
Power Bank
Supply



Pass Away



DG/ONS K92 PRO

onassis™
QUALITY IN PERFECTION

3 YEARS
ELECTRONICAL
WARRANTY

LIFE TIME
MECHANICAL
WARRANTY

Features

Power Supply	: 4 pcs AA Alkaline 1,5 v dry cell
standby current	: 30 uA
Working current	: 250 mA
Supply voltage	: 7.4 V
Working temperature	: -20°C - 55°C
Network	: Wi-fi
App	: Onassis Smart ,Smart life & Tuya
Mortise cycle test	: 300.000 times
Mortise Backset	: 50 mm

Material

Aluminium Alloy & Acrylic

User Capacity

Finger/Password/Card : 180 users



Two way
audio one way
video call



Apps



Finger Print



Password



Card



Manual Key





Smart Home
Integrated



Remote
Unlock Apps



Emergency
Power Bank
Supply



DG/ONS K71 PRO CAM

onassis™
QUALITY IN PERFECTION

3 YEARS ELECTRONICAL WARRANTY

LIFE TIME MECHANICAL WARRANTY

Features

Power Supply	: 4 pcs AA Alkaline 1,5 v dry cell
Typical quiescent current	: < 40A
Power supply current	: < 250 mA
Refusing to be true	: Less than 0.01 %
False rate	: 0.001%
Working temperature	: -20°C - 60°C
Relative Humidity	: 20%RH - 93%RH
Emergency	: Manual Key & Jumper
Network	: Wi-fi 2.4 Ghz
App	: Onassis Smart ,Smart life & Tuya

Material

Zinc Alloy & ABS

User Capacity

Finger/Password/Card : 200 users



Two way
audio one way
video call



Apps



Finger Print



Password



Card



Manual Key




Smart Home
Integrated



Remote
Unlock Apps



Emergency
Power Bank
Supply



DG/ONS K71 PRO

3 YEARS ELECTRONICAL WARRANTY

LIFE TIME MECHANICAL WARRANTY

Features

Power Supply	: 4 pcs AA Alkaline 1,5 v dry cell
Typical quiescent current	: < 40A
Power supply current	: < 250 mA
Refusing to be true	: Less than 0.01 %
False rate	: 0.001%
Working temperature	: -20°C - 60°C
Relative Humidity	: 20%RH - 93%RH
Emergency	: Manual Key & Jumper
Network	: Wi-fi 2.4 Ghz
App	: Onassis Smart ,Smart life & Tuya

Material

Zinc Alloy & ABS

User Capacity

Finger/Password/Card : 200 users



Apps



Finger Print



Password



Card



Manual Key




Smart Home Integrated



Emergency Power Bank Supply



Remote Unlock Apps



DG/ONS K8 PRO

onassis™
QUALITY IN PERFECTION

3 YEARS
ELECTRONICAL
WARRANTY

LIFE TIME
MECHANICAL
WARRANTY

Features

Power Supply	: 4 pcs AA Alkaline 1,5 v dry cell
Typical quiescent current	: < 40A
Power supply current	: < 250 mA
Refusing to be true	: Less than 0.01 %
False rate	: 0.001%
Working temperature	: -20°C - 60°C
Relative Humidity	: 20%RH - 93%RH
Emergency	: Manual Key & Jumper
Network	: Wi-fi 2.4 Ghz
App	: Onassis Smart ,Smart life & Tuya
Mortise cycle test	: 300.000 times
Mortise Backset	: 60 mm + 70 mm

Material

Aluminium Alloy & Acrylic

User Capacity

Finger/Password/Card : 300 users



Apps



Finger Print



Password



Card



Manual Key



Smart Home
Integrated





Remote
Unlock Apps



Pass Away



Emergency
Power Bank
Supply



SMART CYLINDER

CY 60

onassis™
QUALITY IN PERFECTION

3 YEARS
ELECTRONICAL
WARRANTY

LIFE TIME
MECHANICAL
WARRANTY



Features


Power Supply	: CR 123 3.7 V
Typical quiescent current	: < 40A
Power supply current	: < 250 mA
Refusing to be true	: Less than 0.01 %
False rate	: 0.001%
Working temperature	: -20°C - 60°C
Relative Humidity	: 20%RH - 93%RH
Emergency	: Type C
Network	: Bluetooth
App	: Onassis Smart ,Smart life & Tuya

Material

Aluminium Alloy

User Capacity

Finger/Card : 200 users



Apps



Finger Print



Password



Card



Easy Install



Smart Home
Integrated



Remote
Unlock Apps



Emergency
Power Bank
Supply



Manual Key



DG/ONS D82 PRO

onassis™
QUALITY IN PERFECTION

3 YEARS
ELECTRONICAL WARRANTY



Features

Applicable for swing and sliding glass doors

Power Supply	: 4 pcs AA Alkaline 1,5 v dry cell
Typical quiescent current	: < 130 A
Power supply current	: < 200 mA
Refusing to be true	: Les than 0.01 %
False rate	: Les than 0.001%
Working temperature	: -20°C - 65°C
Relative Humidity	: 20%RH - 90%RH
Network	: Wi-fi 2.4 Ghz
App	: Onassis Smart ,Smart life & Tuya

Material

Aluminium Alloy & Acrylic

User Capacity

100 User



Apps



Finger Print



Password



Card



Remote
Unlock Apps




Smart Home
Integrated



Manual Key



Emergency
Power Bank
Supply



DG/ONS D75 PRO

onassis™
QUALITY IN PERFECTION

3 YEARS
ELECTRONICAL WARRANTY

LIFE TIME
MECHANICAL WARRANTY

Features

Power Supply	: 4 pcs AA Alkaline 1,5 v dry cell
Typical quiescent current	: < 40A
Power supply current	: < 250 mA
Refusing to be true	: Les than 0.01 %
False rate	: 0.001%
Working temperature	: -20°C - 60°C
Relative Humidity	: 20%RH - 93%RH
Emergency	: Manual Key & Jumper
Network	: Wi-fi 2.4 Ghz
App	: Onassis Smart ,Smart life & Tuya
Mortise cycle test	: 300.000 times
Mortise backset	: 30 mm

Material

Aluminium Alloy & Acrylic

User Capacity

Finger/Password/Card : 300 users



Apps



Finger Print



Password



Card



Smart Home Integrated



Manual Key





Remote Unlock Apps



Anti Pry



Emergency Power Bank Supply



Lockcase Thickness: 13 mm



onassis™

QUALITY IN PERFECTION



LEADING IN SMARTLOCK

Scan QR Code for more product
and more information

onassis™

QUALITY IN PERFECTION



Scan QR Code for more product
and more information

Get the APP "Onassis Smart"

